



BIGHORN CREEK

Bighorn Creek has a wide range of rich multi-colored hues of rust, bronze and copper created by the stone's iron content.

Flagstone is a stratified stone that splits into pieces suitable as paving stones.

There is no warranty against bleeding by Glacier Stone Supply. Bighorn Creek products contain a certain amount of iron, thus bleeding may occur.



Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Spec Sheet

Grade	Product Code	Thickness	Height	Length	Handipak Price	Pallet Price
BH Ledge Flats	BHLV	1/2"-1 1/2"	2-7"	6-16"+		
BH Corners	BHC	1/2"-1 1/2"	2-7"	3-10"		
BH Big Face Random Flats	BHBFRV	1/2"-1 1/2"	8-16"+	10-24"+		

* Veneer pallets available in 200 square feet; Corners available in 125 linear feet. Add \$0.90 per sf or 1lf for non-standard quantity pallets

* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf.

* Veneer pallets weigh approx. 2,600 - 2,800 lbs, corner pallets weigh approx. 1,400 - 1,600 lbs

Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
BH Ledge	BHL	3-6"	2-7"	6-16"+	35-40	
BH Squares and Rectangles	BHSR	3-6"	7-14"+	10-24"+	35-40	
BH Oversize Ledge	BHOSL	6-10"	7-14"+	6-16"+	20-25	

* Tumbled Stone add \$60/ton

Landscape / Specialty Stone

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
BH 1-2" Patio	BH1-2P	3/4"-2 1/4"	6-16"+	6-16"+	100-120	
BH 2-3" Patio	BH2-3P	1 3/4"-3 1/4"	6-16"+	6-16"+	55-65	
BH 1-2" Stand-up-Flag	BH1-2F	3/4"-2 1/4"	16-48"+	16-48"+	100-120	
BH 2-3" Stand-up-Flag	BH2-3F	1 3/4"-3 1/4"	16-48"+	16-48"+	55-65	
BH Steps/Slabs (+/- 1") 2' to 5' lengths	BHSS	12-24"+	5-8"	24-60"+	N/A	
BH Hearths/Mantels/Columns	BHHM	2-18"	12-24"	12-96"	N/A	

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS

There is no warranty against bleeding by Glacier Stone Supply. Bighorn Creek products contain a certain amount of iron, thus bleeding may occur.



BITTERROOT

The Bitterroot family of stone features vibrant hues of burgundy, gold and bronze set against a neutral background of grays and browns.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Spec Sheet

Grade	Product Code	Thickness	Height	Length	Handipak Price	Pallet Price
BR Ledge Flats	BRLV	1/2"-1 1/2"	2-7"	6-16"+		
BR Corners	BRC	1/2"-1 1/2"	2-7"	3-10"		
BR Tumbled Ledge Flats	BRTL	1/2"-1 1/2"	2-7"	6-16"+		
BR Tumbled Corners	BRTC	1/2"-1 1/2"	2-7"	3-10"		
BR Squares and Recs Flats	BRSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
BR Squares and Rec Select Flats	BRSRLV+	1/2"-1 1/2"	10-12"+	10-20"+		
BR Squares and Recs Corners	BRSRC	1/2"-1 1/2"	7-11"+	3-10"		
BR Tumbled Squares and Recs Flats	BRTSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
BR Tumbled Squares and Recs Corners	BRTSRC	1/2"-1 1/2"	7-11"+	3-10"		
BR Random Flats	BRRV	1/2"-1 1/2"	3-8"	6-24"+		
BR Big Face Random Flats	BRBFRV	1/2"-1 1/2"	8-16"+	10-24"+		
BR Random Corners	BRRC	1/2"-1 1/2"	3-7"	3-10"		

* Veneer pallets available in 200 square feet; Corners available in 125 linear feet. Add \$0.90 per sf or lf for non-standard quantity pallets

* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf.

* Veneer pallets weigh approx. 2,600 - 2,800 lbs, corner pallets weigh approx. 1,400 - 1,600 lbs

Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
BR Ledge	BRL	3-6"	2-7"	6-16"+	35-40	
BR Tumbled Ledge	BRTL	3-6"	2-7"	6-16"+	35-40	
BR Squares and Rectangles	BRSR	3-6"	7-14"+	10-24"+	35-40	
BR Tumbled Squares and Rectangles	BRTSR	3-6"	7-14"+	10-24"+	35-40	
BR Oversize Ledge	BROSL	6-10"	7-14"+	6-16"+	20-25	
1-2" BR Random	BR1-2R	3/4-2 1/4"	8-16"+	8-16"+	100-120	
2-3" BR Random	BR2-3R	1 3/4-3 1/4"	8-16"+	8-16"+	55-65	
3-5" BR Random	BR3-5R	2 3/4-5 1/4"	8-16"+	8-16"+	35-40	

Landscape / Specialty Stone

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
BR Drystack (160-500 lbs.)	BRDS	10-16"	10-16"	10-16"	N/A	
BR Boulders/Retaining Wall Rock (500-5000 lbs.)	BRB	18-42"+	18-42"+	18-42"+	N/A	
BR Steps/Slabs (+/- 1") 2' to 5' lengths	BRSS	12-24"+	5-8"	24-60"+	N/A	
BR Hearths/Mantels/Columns	BRHM	2-18"	12-96"	12-96"	N/A	

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS



CANYON CREEK

One of our most popular stones featuring rich colors ranging from chocolate brown, tans, and blue/gray tones - true to the Northern Rockies.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Spec Sheet

Grade	Product Code	Thickness	Height	Length	Handipak Price	Pallet Price
CC Ledge Flats	CCLV	1/2"-1 1/2"	2-7"	6-16"+		
CC Corners	CCC	1/2"-1 1/2"	2-7"	3-10"		
CC Tumbled Ledge Flats	CCTLV	1/2"-1 1/2"	2-7"	6-16"+		
CC Tumbled Corners	CCTC	1/2"-1 1/2"	2-7"	3-10"		
CC Squares and Recs Flats	CCSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
CC Squares and Rec Select Flats	CCSRLV+	1/2"-1 1/2"	10-12"+	10-20"+		
CC Squares and Recs Corners	CCSRC	1/2"-1 1/2"	7-11"+	3-10"		
CC Tumbled Squares and Recs Flats	CCTSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
CC Tumbled Squares and Recs Corners	CCTSRC	1/2"-1 1/2"	7-11"+	3-10"		
CC Random Flats	CCRV	1/2"-1 1/2"	3-8"	6-24"+		
CC Big Face Random Flats	CCBFRV	1/2"-1 1/2"	8-16"+	10-24"+		
CC Random Corners	CCRC	1/2"-1 1/2"	3-7"	3-10"		

* Veneer pallets available in 200 square feet; Corners available in 125 linear feet. Add \$0.90 per sf or lf for non-standard quantity pallets

* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf.

* Veneer pallets weigh approx. 2,600 - 2,800 lbs, corner pallets weigh approx. 1,400 - 1,600 lbs

Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
CC Ledge	CCL	3-6"	2-7"	6-16"+	35-40	
CC Tumbled Ledge	CCTL	3-6"	2-7"	6-16"+	35-40	
CC Squares and Rectangles	CCSR	3-6"	7-14"+	10-24"+	35-40	
CC Tumbled Squares and Rectangles	CCTSR	3-6"	7-14"+	10-24"+	35-40	
CC Oversize Ledge	CCOSL	6-10"	7-14"+	6-16"+	20-25	
1-2" CC Random	CC1-2R	3/4-2 1/4"	8-16"+	8-16"+	100-120	
2-3" CC Random	CC2-3R	1 3/4-3 1/4"	8-16"+	8-16"+	55-65	
3-5" CC Random	CC3-5R	2 3/4-5 1/4"	8-16"+	8-16"+	35-40	

Landscape / Specialty Stone

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
CC Drystack (160-500 lbs.)	CCDS	10-16"	10-16"	10-16"	N/A	
CC Boulders/Retaining Wall Rock (500-5000 lbs.)	CCB	18-42"+	18-42"+	18-42"+	N/A	

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS



FALLS CREEK

Falls Creek is a lighter toned product ranging from light tan to gold with occasional buff hues accenting the soft, warm texture.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Spec Sheet

Grade	Product Code	Thickness	Height	Length	Handipak Price	Pallet Price
FC Ledge Flats	FCLV	1/2"-1 1/2"	2-7"	6-16"+		
FC Corners	FCC	1/2"-1 1/2"	2-7"	3-10"		
FC Tumbled Ledge Flats	FCTLV	1/2"-1 1/2"	2-7"	6-16"+		
FC Tumbled Corners	FCTC	1/2"-1 1/2"	2-7"	3-10"		
FC Squares and Recs Flats	FCSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
FC Squares and Rec Select Flats	FCSRLV+	1/2"-1 1/2"	10-12"+	10-20"+		
FC Squares and Recs Corners	FCSRC	1/2"-1 1/2"	7-11"+	3-10"		
FC Tumbled Squares and Recs Flats	FCTSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
FC Tumbled Squares and Recs Corners	FCTSRC	1/2"-1 1/2"	7-11"+	3-10"		

* Veneer pallets available in 200 square feet; Corners available in 125 linear feet. Add \$0.90 per sf or lf for non-standard quantity pallets

* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf.

* Veneer pallets weigh approx. 2,600 - 2,800 lbs, corner pallets weigh approx. 1,400 - 1,600 lbs

Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
FC Ledge	FCL	3-6"	2-7"	6-16"+	35-40	
FC Tumbled Ledge	FCTL	3-6"	2-7"	6-16"+	35-40	
FC Squares and Rectangles	FCSR	3-6"	7-14"+	10-24"+	35-40	
FC Tumbled Squares and Rectangles	FCTSR	3-6"	7-14"+	10-24"+	35-40	
FC Oversize Ledge	FCOSL	6-10"	7-14"+	6-16"+	20-25	

Landscape / Specialty Stone

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
FC Drystack (160-500 lbs.)	FCDS	10-16"	10-16"	10-16"	N/A	
FC Oversize Drystack (500-5000 lbs.)	FCODS	18-42"+	18-42"+	18-42"+	N/A	
FC Hearths/Mantels/Columns	FCHM	2-18"	12-96"	12-96"	N/A	

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS



GLACIER MOUNTAIN

This family of stone has a cream base with hues of gold, black and light grays running throughout.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Spec Sheet

Grade	Product Code	Thickness	Height	Length	Handipak Price	Pallet Price
GM Ledge Flats	GMLV	1/2"-1 1/2"	2-7"	6-16"+		
GM Corners	GMC	1/2"-1 1/2"	2-7"	3-10"		
GM Tumbled Ledge Flats	GMTLV	1/2"-1 1/2"	2-7"	6-16"+		
GM Tumbled Corners	GMTC	1/2"-1 1/2"	2-7"	3-10"		
GM Squares and Recs Flats	GMSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
GM Squares and Rec Select Flats	GMSRLV+	1/2"-1 1/2"	10-12"+	10-20"+		
GM Squares and Recs Corners	GMSRC	1/2"-1 1/2"	7-11"+	3-10"		
GM Tumbled Squares and Recs Flats	GMTSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
GM Tumbled Squares and Recs Corners	GMTSRC	1/2"-1 1/2"	7-11"+	3-10"		
GM Random Flats	GMRV	1/2"-1 1/2"	3-8"	6-24"+		
GM Big Face Random Flats	GMBFRV	1/2"-1 1/2"	8-16"+	10-24"+		
GM Random Corners	GMRC	1/2"-1 1/2"	3-7"	3-10"		

* Veneer pallets available in 200 square feet; Corners available in 125 linear feet. Add \$0.90 per sf or lf for non-standard quantity pallets

* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf.

* Veneer pallets weigh approx. 2,600 - 2,800 lbs, corner pallets weigh approx. 1,400 - 1,600 lbs

Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
GM Ledge	GML	3-6"	2-7"	6-16"+	35-40	
GM Tumbled Ledge	GMTL	3-6"	2-7"	6-16"+	35-40	
GM Squares and Rectangles	GMSR	3-6"	7-14"+	10-24"+	35-40	
GM Tumbled Squares and Rectangles	GMTSR	3-6"	7-14"+	10-24"+	35-40	
GM Oversize Ledge	GMOSL	6-10"	7-14"+	6-16"+	20-25	
1-2" GM Random	GM1-2R	3/4-2 1/4"	8-16"+	8-16"+	100-120	
2-3" GM Random	GM2-3R	1 3/4-3 1/4"	8-16"+	8-16"+	55-65	
3-5" GM Random	GM3-5R	2 3/4-5 1/4"	8-16"+	8-16"+	35-40	

Landscape / Specialty Stone

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
GM Drystack (160-500 lbs.)	GMDS	10-16"	10-16"	10-16"	N/A	
GM Boulders/Retaining Wall Rock (500-5000 lbs.)	GMB	18-42"+	18-42"+	18-42"+	N/A	
GM Steps/Slabs (+/- 1") 2' to 5' lengths	GMSS	12-24"+	5-8"	24-60"+	N/A	
GM Hearths/Mantels/Columns	GMHM	2-18"	12-96"	12-96"	N/A	

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS



LOON LAKE

Loon Lake comes in a wide array of colors including greens, bronze, browns, tans and slate grays with subtle sedimentary striations.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Spec Sheet

Grade	Product Code	Thickness	Height	Length	Handipak Price	Pallet Price
LL Ledge Flats	LLLV	1/2"-1 1/2"	2-7"	6-16"+		
LL Corners	LLC	1/2"-1 1/2"	2-7"	3-10"		
LL Tumbled Ledge Flats	LLTLV	1/2"-1 1/2"	2-7"	6-16"+		
LL Tumbled Corners	LLTC	1/2"-1 1/2"	2-7"	3-10"		
LL Squares and Recs Flats	LLSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
LL Squares and Rec Select Flats	LLSRLV+	1/2"-1 1/2"	10-12"+	10-20"+		
LL Squares and Recs Corners	LLSRC	1/2"-1 1/2"	7-11"+	3-10"		
LL Random Flats	LLRV	1/2"-1 1/2"	3-8"	6-24"+		
LL Big Face Random Flats	LLBFRV	1/2"-1 1/2"	8-16"+	10-24"+		
LL Random Corners	LLRC	1/2"-1 1/2"	2-8"	3-10"		

* Veneer pallets available in 200 square feet; Corners available in 125 linear feet. Add \$0.90 per sf or lf for non-standard quantity pallets

* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf.

* Veneer pallets weigh approx. 2,600 - 2,800 lbs, corner pallets weigh approx. 1,400 - 1,600 lbs

Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
LL Ledge	LLL	3-6"	2-7"	6-16"+	35-40	
LL Squares and Rectangles	LLSR	3-6"	7-14"+	10-24"+	35-40	
LL Oversize Ledge	LLOSL	6-10"	7-14"+	6-16"+	20-25	
1-2" LL Random	LL1-2R	3/4"-2 1/4"	8-16"+	8-16"+	100-120	
2-3" LL Random	LL2-3R	1 3/4"-3 1/4"	8-16"+	8-16"+	55-65	
3-5" LL Random	LL3-5R	2 3/4"-5 1/4"	8-16"+	8-16"+	35-40	

* Tumbled Stone add \$60/ton

Landscape / Specialty Stone

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
LL Drystack (160-500 lbs.)	LLDS	10-16"	10-16"	10-16"	N/A	
LL Boulders/Retaining Wall Rock (500-5000 lbs.)	LLB	18-42"+	18-42"+	18-42"+	N/A	
LL Steps/Slabs (+/- 1") 2' to 5' lengths	LLSS	12-24"+	5-8"	24-60"+	N/A	
LL Hearths/Mantels/Columns	LLHM	2-18"	12-96"	12-96"	N/A	

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS



ROCKY MOUNTAIN GOLD

This stone offers a beautiful warm color blend variety of browns, gold tones, bronze, tans and grays. It also features a unique dendrite fern pattern creating an additional signature look that will enhance the beauty of any project.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Spec Sheet

Grade	Product Code	Thickness	Height	Length	Handipak Price	Pallet Price
RM Ledge Flats	RMLV	1/2"-1 1/2"	2-7"	6-16"+		
RM Corners	RMC	1/2"-1 1/2"	2-7"	3-10"		
RM Tumbled Ledge Flats	RMTLV	1/2"-1 1/2"	2-7"	6-16"+		
RM Tumbled Corners	RMTC	1/2"-1 1/2"	2-7"	3-10"		
RM Squares and Recs Flats	RMSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
RM Squares and Rec Select Flats	RMSRLV+	1/2"-1 1/2"	10-12"+	10-20"+		
RM Squares and Recs Corners	RMSRC	1/2"-1 1/2"	7-11"+	3-10"		
RM Tumbled Squares and Recs Flats	RMTSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
RM Tumbled Squares and Recs Corners	RMTSRC	1/2"-1 1/2"	7-11"+	3-10"		

* Veneer pallets available in 200 square feet; Corners available in 125 linear feet. Add \$0.90 per sf or lf for non-standard quantity pallets

* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf.

* Veneer pallets weigh approx. 2,600 - 2,800 lbs, corner pallets weigh approx. 1,400 - 1,600 lbs

Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
RM Ledge	RML	3-6"	2-7"	6-16"+	35-40	
RM Tumbled Ledge	RMTL	3-6"	2-7"	6-16"+	35-40	
RM Squares and Rectangles	RMSR	3-6"	7-14"+	10-24"+	35-40	
RM Tumbled Squares and Rectangles	RMTSR	3-6"	7-14"+	10-24"+	35-40	
RM Oversize Ledge	RMOSL	6-10"	7-14"+	6-16"+	20-25	

Landscape / Specialty Stone

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
RM Drystack (160-500 lbs.)	RMDS	10-16"	10-16"	10-16"	N/A	
RM Boulders/Retaining Wall Rock (500-5000 lbs.)	RMB	18-42"+	18-42"+	18-42"+	N/A	
RM Steps/Slabs (+/- 1") 2' to 5' lengths	RMSS	12-24"+	5-8"	24-60"+	N/A	
RM Hearths/Mantels/Columns	RMHM	2-18"	12-96"	12-96"	N/A	

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS



TIMBER RIDGE

This family of stone contains those deeper chocolate colors, light browns, cream, and some gray. Excellent rich earth tones complementing a lighter siding/trim color.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Spec Sheet

Grade	Product Code	Thickness	Height	Length	Handipak Price	Pallet Price
TR Ledge Flats	TRLV	1/2"-1 1/2"	2-7"	6-16"+		
TR Corners	TRC	1/2"-1 1/2"	2-7"	3-10"		
TR Tumbled Ledge Flats	TRTLV	1/2"-1 1/2"	2-7"	6-16"+		
TR Tumbled Corners	TRTC	1/2"-1 1/2"	2-7"	3-10"		
TR Squares and Recs Flats	TRSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
TR Squares and Rec Select Flats	TRSRLV+	1/2"-1 1/2"	10-12"+	10-20"+		
TR Squares and Recs Corners	TRSRC	1/2"-1 1/2"	7-11"+	3-10"		
TR Tumbled Squares and Recs Flats	TRTSRLV	1/2"-1 1/2"	7-11"+	10-20"+		
TR Tumbled Squares and Recs Corners	TRTSRC	1/2"-1 1/2"	7-11"+	3-10"		
TR Random Flats	TRRV	1/2"-1 1/2"	3-8"	6-24"+		
TR Big Face Random Flats	TRBFRV	1/2"-1 1/2"	8-16"+	10-24"+		
TR Random Corners	TRRC	1/2"-1 1/2"	3-7"	3-10"		

* Veneer pallets available in 200 square feet; Corners available in 125 linear feet. Add \$0.90 per sf or lf for non-standard quantity pallets

* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf.

* Veneer pallets weigh approx. 2,600 - 2,800 lbs, corner pallets weigh approx. 1,400 - 1,600 lbs

Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
TR Ledge	TRL	3-6"	2-7"	6-16"+	35-40	
TR Tumbled Ledge	TRTL	3-6"	2-7"	6-16"+	35-40	
TR Squares and Rectangles	TRSR	3-6"	7-14"+	10-24"+	35-40	
TR Tumbled Squares and Rectangles	TRTSR	3-6"	7-14"+	10-24"+	35-40	
TR Oversize Ledge	TROSL	6-10"	7-14"+	6-16"+	20-25	

Landscape / Specialty Stone

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton	Price per Ton
TR Drystack (160-500 lbs.)	TRDS	10-16"	10-16"	10-16"	N/A	
TR Boulders/Retaining Wall Rock (500-5000 lbs.)	TRB	18-42"+	18-42"+	18-42"+	N/A	
TR Steps/Slabs (+/- 1") 2' to 5' lengths	TRSS	12-24"+	5-8"	24-60"+	N/A	
TR Hearths/Mantels/Columns	TRHM	2-18"	12-96"	12-96"	N/A	

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS